



မင်္ဂြန်င်္ခြီ ဝာಜప္ဖతము THE ANDHRA PRADESH GAZETTE PUBLISHED BY AUTHORITY

W.No.41

AMARAVATI, WEDNESDAY, OCTOBER 16, 2024

G.556

Date: 16.10.2024.

PART II - MISCELLANEOUS NOTIFICATIONS OF INTEREST TO THE PUBLIC

NOTIFICATIONS BY HEADS OF DEPARTMENTS Etc., PRINCIPAL CHIEF CONSERVATOR OF FORESTS & HEAD OF FOREST FORCE, ANDHRA PRADESH, MANGALAGIRI.

Ref.No.6261/2024/WLR-1.

FOREST RESERVATIONS - ELURU DISTRICT - POLAVARAM RANGE, Sy.No.252 OF MARRIVEEDU VILLAGE OF YELESWARAM MANDAL OVER AN EXTENT OF 166.00 Ha OR Ac.410.195 Cents IN **MARRIVEDU-II CA BLOCK** - NOTIFICATION U/s 24 OF A.P.FOREST ACT, 1967.

Ref:-

- MoEF, & CC FC Division, New Delhi, Gol Lr.F.No.8-123/2005-FC, dt.26.12.2008.
- MoEF, & CC FC Division, New Delhi, Gol Lr.F.No.8-123/2005-FC, dt.28.07.2010.
- 3. G.O.Ms No.136 EFS&T(FOR.I)Dept., dt.09.08.2010.
- Collector & District Magistrate Kakinada District, Kakinada Rc.No.REV-LMOFOR(MIS)/1/2024-LM-SEC-KKDCO, dt.28.06.2024.
- 5. CCF, Rajamahendravaram Rc.No. 2751/2019-D1, dt.31.08.2024.
- G.O.Ms.No.66, EFS&T(Section-II) Department, dt.19.09.2023.
- 7. G.O.Ms.No.1, EFS&T(Section-II) Department, dt.03.01.2024.

NOTIFICATION

In exercise of the powers conferred by Sub-Section (1) of Section 24 of the Andhra Pradesh Forest Act,1967 (Act No.1 of 1967) and as per the powers delegated and amended by the Government in G.O.Ms.No.66 EFS&T(Section-II) Department, dt.19.09.2023 and G.O.Ms.No.1 EFS&T(Section-II) Department, dt:03.01.2024, the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh hereby declares that the Forest land described in the schedule below (delineated in the map kept in Office of the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Mangalagiri) to be Protected Forest with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

Name of the District : Kakinada

Name of the Division : Kakinada

Name of the Mandal : Yeleswaram

Name of the Range : Yeleswaram

Name of Village : Marriveedu

Name of the proposed Forest Block : Marriveedu - II

Extent of the proposed Forest Block : 166.00 Ha or Ac 410.195 cents

<u>Details of area included in the proposed Forest Block (As per the Revenue records – Adangal):</u>

Name of the Sy. Nos. Na Village		Nature of the land	Extent of Survey No. specified in column No.2	Area included in Block	
1	2	3	4	5	
Marriveedu	252	Konda Poramboku	166.00 Ha or Ac 410.195 cents	166.00 Ha or Ac 410.195 cents	

BOUNDARY DESCRIPTION

NORTH:Starting from Station No.1 the boundary line generally runs in North-East direction upto Station No.2 and then the boundary line generally runs in East direction upto Station No.3 and then the boundary line runs in North East direction upto Station No.4. From Station No.4, the boundary line generally runs in East direction upto Station No.5 and then the line runs in

South-East direction upto Station No.6 with the following magnetic bearings and distances.

Statio	n Nos.	Magnetic bearing in	Distance in meters	Distance in Links	Remarks
From	То	degrees		-	
1	2	77°	97	485	
2	3	141º	171	855	
3	4	53°	148	740	,
4	5	89°	169	845	11-
5	6	113º	345	1725	

EAST: From Station No.6 the boundary line runs generally in South-East direction upto Station No.8 and then the line runs generally in South-West direction upto Station No.11 along with the foot path from Kambalapalem to Gontuvanipalem with the following magnetic bearings and distances.

Station Nos.		Magnetic bearing in	Distance in meters	Distance in Links	Remarks
From	To	degrees			7
6	7	166°	278	1390	
7	8	171 ⁰	150	750	
8	9	224°	72	360	
9	10	192º	434	2170	
10	11	189º	75	375	

SOUTH: From Station No.11, the boundary line runs generally in South-West direction upto Station No.15 along the foot path from Kambalapalem to Gontuvanipalem foot path with the following magnetic bearings and distances.

n Nos.	Magnetic bearing in	Distance	Distance in	Remarks
То	degrees	III illeters	LIIIKS	
12	226º	151	755	
13	250°	72	360	
14	223 ⁰	367	1835	
15	253 ⁰	489	2445	
	To 12 13 14	n Nos. bearing in degrees 12 2260 13 2500 14 2230	Nos. bearing in degrees Distance in meters 12 226° 151 13 250° 72 14 223° 367	Nos. Distance in meters Distance in Links To degrees 151 755 13 250° 72 360 14 223° 367 1835

WEST: From Station No.15 the boundary line runs generally in North-West direction upto Station No. 17 and then the boundary line runs generally in North-East direction upto Station No.18 and then the line runs generally in North-West direction upto Station No.20. From Station No.20 the boundary line runs generally North-East direction up to Station No.21 and then the line runs in South-East direction upto Station No.22. From Station No.22 the boundary line runs generally in North-West direction upto Station No.23 and then the boundary line runs generally in North-East direction and to reach the starting point i.e., Station No.01 with the following magnetic bearings and distances.

Statio	n Nos.	Magnetic bearing in	Distance in meters	Distance in Links	Remarks
From	То	degrees			
15	16	305°	151	755	1
16	17	335 ⁰	227	1135	
17	18	20°	253	1265	
18	19	318°	84	420	
19	20	292º	108	540	
20	21	15º	176	880	
21	22	1120	134	670	
22	23	321 ⁰	378	1890	
23	24	29 ⁰	548	2740	
24	1	59°	274	1370	

Remarks:-

- A) There are no admitted enclosures in this Block.
- B) Right of ways to be admitted In the Eastern side of the proposed Block existed one foot path from Kambhalapalem to Fisher Man huts over a length of 2.30 Kms and a width of 4.00 Mtrs. and enters the proposed Block in between Station No.7 and 8 and left from the Block in between the Station No.8 and 9. Again the foot path entered in between the Station No.10 and 11 and passes through Boundary line upto Station No.14.

CHIRANJIV CHOUDHARY,

Principal Chief Conservator of Forests & Head of Forest Force.

్రపకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ చట్టము 1967 (1967లోని మొదటి చట్టం లోని 24 వ అధికరణం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, మరియు ప్రభుత్వం G.O.Ms.No.66 EFS &T (సెక్షన్-II) శాఖ తేది.19.09.2023 మరియు G.O.Ms.No.1 EFS &T (సెక్షన్-II) శాఖ తేది.03.01.2024 ద్వార బదలాయించిన అధికారం ద్వారా ప్రధాన ముఖ్య అటవీ సంరక్షణాధికారి మరియు అటవీ దళాధిపతి, ఆంధ్రప్రదేశ్ వారు, ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షణాధికారి, మంగళగిరి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది.) వారి ఈ ప్రకటనను ఆంధ్రప్రదేశ్ రాజపత్రంలో ప్రచురించిన తేది నుండి రక్షిత అడవిగా పరిగణించబడును అని ఇందుమూలముగా ప్రకటించడమైనది.

అనుసూచి

జిల్లా పేరు	:	కాకినాడ
డివిజను పేరు	1:	కాకినాడ
మండలం పేరు	1:	ఏలేశ్వరం
రీంజి పేరు	:	ఏలేశ్వరం
సమీప గ్రామాల పేర్లు	:	మ0్రివీడు
ప్రతిపాదించబడుచున్న రక్షిత అటవి భూమి పేరు	:	మర్రివీడు – 11
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం		166.00 హెక్టారులు లేక ఎకరాలు 410.195
		సెంట్లు

ప్రతిపాదించబడిన బ్యాకులో చేర్పబడిన విస్తీర్ణం వివరములు

ఊరుపేరు	సర్వే నం	సేల తీర ు	రెండవ గడిలోని సర్వే నం. విస్తీర్ణం	4 వ గడిలోని విస్తీర్ణం నుండి 0 జర్వు అడవి బ్లాకులో చేర్చబడిన విస్తీర్ణం
1	2	3	4	5
మ0్రవీడు	94	కొండ పోరం బోకు	166.00 హెక్టార్లు	166.00 హెక్టార్లు
			ఎకరా 410.195 సెంట్లు	ఎకరా 410.195 సెంట్లు

ఉత్తరం: ఈ అడవి యొక్క సరి హద్దు సదరు అడవీ యొక్క స్టేషన్ సెం.1 వద్ద శాశ్వతంగా నీర్మించబడిన సిమెంట్ దిమ్మ వద్ద నుండి (అకాంశము 17.35852, రేఖాంశము 82.06561) సాధారణముగా ఈశాన్య దిశగా పయనించి స్టేషన్ నెం. 2 ను చేరును. ఈ ప్రతిపాదిత లైను స్టేషన్ నెంబరు 2 నుండి ఆగ్నే యదిశగా పయనించి స్టేషన్ నెం. 3 ను చేరును. ఈ ప్రతిపాధిత లైను స్టేషన్ నెంబరు 3 నుండి ఈశాన్య దిగగా పయనించి స్టేషన్ నెం. 5 ను చేరును. ఈ ప్రతిపాధిత లైను స్టేషన్ నెంబరు 5 నుండి ఆగ్నే యదిశగా పయనించి స్టేషన్ నెం. 6 ను చేరును.

ఈ క్రింది చూపబడిన	మేగ్నటికీ	బేరింగులు	మరియు	కొలతల	ప్రకారం	పటములో	దూపబడి	యుండిన
ప్రకారం పెళ్ళును.								

స్టేషన్ సెం.		మీగ్నటిక్	దూరము	దూర ము	0 మార్కులు
నుండి	పరకు	aే0ంగులు	మీటర్లలలో	<u>లింకులలో</u>	0 ໝ 0 ທູເວ
1	2	77º	97	485	
2	3	141º	171	855	
3	4	53º	148	740	
4	5	89º	169	845	9
5	6	113º	345	1725	

తూర్పు: అచ్చట నుండి అనగా స్టేషన్ సెం.6 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఆగ్నేయ దిశగా పయనింఛి స్టేషన్ సెం.8 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ సెం.8 నుండి సైరుతి దిశగా పయనించి స్టేషన్ సెం.10 కి చేరి ఈ క్రింది చూపబడిన మేగ్నటిక్ బేరింగులు మరియు కొలతల ప్రకారం పటములో చూపబడి యుండిన ప్రకారం పెళ్ళును.

స్టేషన్	პ ი.	మేగ్నటిక్	దూరము	దూరము	0 మార్కులు
.నుండి	వ రకు	బే 0 ంగులు	మీటర్లలలో	లింకులలో	0 20 00,00
6	7	166º	278	1390	
7	8	171º	150	750	
8	9	224 ⁰	72	360	
9	10	192º	434	2170	
10	11	189º	75	375	

దక్షిణము: అచ్చట నుండి అనగా స్టేషన్ సెం.11 నుండి ఈ సరిహద్దు లైను సాధారణముగా సైరుతి దిశగా పయనింఛి స్టేషన్ సెం.15 కి చేరి ఈ క్రింది చూపబడిన మేగ్నటిక్ టేరింగులు మరియు కొలతల ప్రకారం పటములో చూపబడి యుండిన ప్రకారం వెళ్ళును.

స్టేషన్	సెం.	మేగ్సటిక్	దూరము	దూరము	0 మార్స్కులు
నుండి	పరకు	బే0ంగులు	మీటర్లలలో	లింకుల లో	യെംവം
11	12	226º	151	755	
12	13	250°	72	360	
13	14	223°	367	1835	
14	15	253°	489	2445	

పడమర: అచ్చట నుండి అనగా స్టేషన్ సెం.15 నుండి ఈ సరిహద్దు లైను సాధారణముగా వాయువ్య దిశగా పయనించి స్టేషన్ సెం.17 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ సెం.17 నుండి ఈశాన్య దిశగా పయనించి స్టేషన్ సెం.18 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ సెం.18 నుండి వాయువ్య దిశగా పయనించి స్టేషన్ సెం. 20 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ సెం 20 నుండి ఈశాన్య దిశగా పయనించి స్టేషన్ సెం. 21 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ సెం


21 నుండి ఆగ్నేయ దిశగా పయనించి స్టేషన్ నెం.22 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ నెం.22 నుండి వాయువ్యము దిశగా పయనించి స్టేషన్ నెం 23 కు చేరును. అచ్చట నుండి ఈ ప్రతిపాదిత లైను స్టేషన్ నెం.23 నుండి ఈశాన్య దిశగా పయనించి స్టేషన్ నెం.1 కి చేరి ఈ క్రింది చూపబడిన మేగ్నటిక్ బేరింగులు మరియు కొలతల ప్రకారం పటములో చూపబడి యుండిన ప్రకారం వెళ్ళును.

స్టేషన్	సెం.	మేగ్నటిక్	దూరము	దూర ము	0 మార్కులు
నుండి	పర కు	బే0ంగులు	మీటర్లలలో	లింకులలో	0 20 05/50
15	16	305°	151	755	
16	17	335°	227	1135	
17	18	20°	253	1265	
18	19	318°	84	420	
19	20	292°	108	540	
20	21	15°	176	880	
21	22	112º	134	670	
22	23	321º	378	1890	
23	24	290	548	2740	
24	1	59º	274	1370	

0 మార్కులు:

- ఎ) ఈ ప్రతిపాదిత ఆడవి బ్లాకులోపల ఏ విధమైన గ్రామానుభవ ప్రాంతములు (ఎంక్లోజర్స్) లేవు
- బి) అనుమతించ వలసిన రహదార్లు ప్రతిపాదిత బ్లాకునకు తూర్పు దిశగా కంభాలపాలెం నుండి మత్యకారులు ఇళ్ళకు పెళ్ళు కాలిబాట కలదు. ఈ కాలిబాట 2.30 కి.మీ పొడవుతో 4.00 మీటర్ల పెడల్పుతో ఉన్నది. ఈ కాలిబాట స్టేషన్ సెం.7 మ00ము 8 స్టేషన్ ల మద్య ప్రతిపాదిత బ్లాకు నందు ప్రవేశించి మరల స్టేషన్ సెం.8 మ0యు 9 స్టేషన్ ల మద్య ప్రతిపాదిత బ్లాకు నుండి బయటకు పెళ్ళి తి0ిగి స్టేషన్ సెం.10 మ00ము 11 ల మద్య బ్లాకు లో ప్రవేశించి స్టేషన్ సెం.14 వరకు స0హద్దు లైను పెంట పెళ్ళును.

చిరంజీవ్ చౌదల, ప్రధాన ముఖ్య అటవీ సంరక్షణ అభికాల, మలియు అటవీ దకాభిపతి.



Published and Uploaded by the Commissioner of Printing, Government of Andhra Pradesh at Government Regional Press, Vijayawada, www.apegazette.cgg.gov.in